Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	298	((forward$4 or redirect$4) near4 (attachment or attached)) same (email or e-mail or electronic adj mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:54
L13	373	((forward$4 or redirect$4) near4 (attachment or attached)) with (capable or capability or ability or able)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:54
L14	56	(((forward$4 or redirect$4) near4 (attachment or attached)) same (email or e-mail or electronic adj mail)) and (((forward$4 or redirect$4) near4 (attachment or attached)) with (capable or capability or ability or able))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:54
L15	500	((forward$4 or redirect$4) near4 (attachment or attached)) and (email or e-mail or electronic adj mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:54
L16	58	(((forward$4 or redirect$4) near4 (attachment or attached)) and (email or e-mail or electronic adj mail)) and (((forward$4 or redirect$4) near4 (attachment or attached)) with (capable or capability or ability or able))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:54
L17	2	((((forward$4 or redirect$4) near4 (attachment or attached)) and (email or e-mail or electronic adj mail)) and (((forward$4 or redirect$4) near4 (attachment or attached)) with (capable or capability or ability or able))) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:54
L18	216	(forward$4 or redirect$4) near4 (message or email or mail or e-mail) near5 (device or node or computer) near6 (capable or capability or ability or able)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:54
L19	40	((forward$4 or redirect$4) near4 (message or email or mail or e-mail) near5 (device or node or computer) near6 (capable or capability or ability or able)) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:54

L20	0	(L12 L13 L14 L15 L16 L17 L18 L19) and @pd>"20040901" and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:19
L21	246	("6314108" "6389455" "6289212" "6119167" "5557659" "6333973" "6330244" "6360272")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 15:20
L22	18	("6314108" "6389455" "6289212" "6119167" "5557659" "6333973" "6330244" "6360272").pn. or "20010045885"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 15:25
L23	1	09/782,412 and attach$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:11
L24	6245	(attach$5 or enclos$3) near4 (email or electronic adj mail or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:12
L25	4223	(process$3 or send$3 or receiv$3) near5 (attach$4 or enclos$4) with (external near3 device or printer or fax or pda or pager or phone or telephone or pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:48
L26	2	(24 and 25) and @pd>"20040901" and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:19
L27	41	(24 and 25) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:49
L28	877	(command$3 or instruct$3) near5 (wireless or mobile or pda or pager) near5 (host or server or pc or desktop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:49
L29	81	(24 25) and 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:49

L30	1	(29) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:50
S1	26	lazaridis.in. and mousseau.in. and attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:48
S51	0	(s21-s50) and @pd>"20040901" and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49
S52	298	((forward$4 or redirect$4) near4 (attachment or attached)) same (email or e-mail or electronic adj mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49
S53	373	((forward$4 or redirect$4) near4 (attachment or attached)) with (capable or capability or ability or able)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49
S54	56	(((forward$4 or redirect$4) near4 (attachment or attached)) same (email or e-mail or electronic adj mail)) and (((forward$4 or redirect$4) near4 (attachment or attached)) with (capable or capability or ability or able))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49
S55	1874506	"44" and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49
S56	0	((((forward$4 or redirect$4) near4 (attachment or attached)) same (email or e-mail or electronic adj mail)) and (((forward$4 or redirect$4) near4 (attachment or attached)) with (capable or capability or ability or able))) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49
S57	500	((forward$4 or redirect$4) near4 (attachment or attached)) and (email or e-mail or electronic adj mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49

S58	58	(((forward$4 or redirect$4) near4 (attachment or attached)) and (email or e-mail or electronic adj mail)) and (((forward$4 or redirect$4) near4 (attachment or attached)) with (capable or capability or ability or able))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49
S59	2	((((forward$4 or redirect$4) near4 (attachment or attached)) and (email or e-mail or electronic adj mail)) and (((forward$4 or redirect$4) near4 (attachment or attached)) with (capable or capability or ability or able))) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49
S60	216	(forward$4 or redirect$4) near4 (message or email or mail or e-mail) near5 (device or node or computer) near6 (capable or capability or ability or able)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49
S61	40	((forward$4 or redirect$4) near4 (message or email or mail or e-mail) near5 (device or node or computer) near6 (capable or capability or ability or able)) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:49
S62	11535	(S52 S53 S54 S55 S56 S57 S58 S59 S60 S61) and @pd>"20040901" and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:53
S63	57	(forward$4 or redirect$4) near4 (message or email or mail or e-mail) near5 (device or node or computer) near6 (capable or capability or ability or able) with (receiv$4 or process$4 or view$4 or display$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S64	13	((forward$4 or redirect$4) near4 (message or email or mail or e-mail) near5 (device or node or computer) near6 (capable or capability or ability or able) with (receiv$4 or process$4 or view$4 or display$4)) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S65	1	"6275848".pn. and (mobile or wireless or laptop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50

S66	11	"5850219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S67	35	screen adj saver same keyboard with timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S68	1	(screen adj saver same keyboard with timeout) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S69	38	keyboard adj timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S70	32	(keyboard adj timeout) same trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S71	0	((keyboard adj timeout) same trigger) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S72	3	(keyboard adj timeout) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S73	0	(S63 S64 S65 S66 S67 S68 S69 S70 S71 S72) and @pd>"20040901" and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S74	142	keyboard with inactiv$3 with time$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S75	93	(keyboard with inactiv$3 with time$3) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50

S76	56	keyboard near5 inactiv$3 near5 time$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S77	33	(keyboard near5 inactiv$3 near5 time$3) and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S78	60	709/207,206.ccls. and (@prad<"19980529" or @ad<"19980529") and @pd>"20021022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S79	5	709/253.ccls. and (@prad<"19980529" or @ad<"19980529") and @pd>"20021022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S80	14	340/7.21,7.29,7.51.ccls. and (@prad<"19980529" or @ad<"19980529") and @pd>"20021022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S81	20	455/556.1,556.2.ccls. and (@prad<"19980529" or @ad<"19980529") and @pd>"20021022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S82	98	(709/207,206.ccls. and (@prad<"19980529" or @ad<"19980529") and @pd>"20021022") (709/253.ccls. and (@prad<"19980529" or @ad<"19980529") and @pd>"20021022") (340/7.21,7.29, 7.51.ccls. and (@prad<"19980529" or @ad<"19980529") and @pd>"20021022") (455/556.1,556. 2.ccls. and (@prad<"19980529" or @ad<"19980529") and @pd>"20021022")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S83	4	"6611358"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:50
S84	8	(S74 S75 S76 S77 S78 S79 S80 S81 S82 S83) and @pd>"20040901" and (@ad<"19980529" or @prad<"19980529")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:53

| S85 | 11535 | (S52 S53 S54 S55 S56 S57 S58 S59 S60 S61) and (@pd>"20040901" and (@ad<"19980529" or @prad<"19980529")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 12:53 |

ProQuest Search:

((attach* or enclos*) w/4 (email or "electronic mail" or e-mail)) and ((process* or send* or receiv*) w/5 (attach* or enclos*) w/10 (external w/3 device or printer or fax or pda or pager or phone or telephone or pc))

((attach* or enclos*) w/4 (email or "electronic mail" or e-mail))

((attach* or enclos*) w/4 (email or "electronic mail" or e-mail)) and (detach$3 or decoupl$3 or separat$3) w/5 (text or mail or message or email or body) w/5 (attach$4 or enclos$4)

((attach* or enclos*) w/4 (email or "electronic mail" or e-mail)) and (pda or wireless or mobile or phone or telephone)

((attach* or enclos*) w/4 (email or "electronic mail" or e-mail)) w/10 (pda or wireless or mobile or phone or telephone)